

[23rd July 1962

* 533 கேள்வி.—திரு. ஆர். நாராயணன் : கனம் பொதுப்பணித் துறை அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விகளுக்குப் பதிலளிப்பாரா—

(அ) தென்னாற்காடு மாவட்டத்திலிருந்து திருச்சிராப்பள்ளி மாவட்டத்திற்கு திட்டகுடி, மாத்தூர் போகும் ரோடில் உள்ள வெள்ளாத்துக்குக் குறுக்கே பாலம் கட்டும் திட்டத்தைப்பற்றி உத்தேசமுண்டா ? ,

(இ) அப்படியானால், எப்போது வேலை துவக்கப்படும் ?

THE HON. SRI V. RAMAIAH : (a) No, Sir.

(b) Does not arise.

Hydro-electric projects

* 534 Q.—SRI M. WILLIAM (on behalf of Sri A. KUNJAN NADAR) : Will the Hon. the Minister for Industries be pleased to state—

(a) whether there is any proposal for a Hydro-Electric Scheme in the upper reaches of the river above Pachipara dam; and

(b) if so, whether Pattanamkal Scheme would be affected by that scheme?

THE HON. SRI R. VENKATARAMAN : (a) Yes, Sir.

(b) No, Sir.

* 535 Q.—SRI R. PONNAPPA NADAR :

SRI M. WILLIAM :

} Will the Hon.

the Minister for Industries be pleased to state—

(a) whether the investigation for the construction of the hydro-electric project at Kodayar in Kanyakumari has been completed;

(b) the power that could be generated;

(c) whether the work will be taken up during this financial year; and

(d) the expenditure incurred so far?

THE HON. SRI R. VENKATARAMAN : (a) No, Sir.

(b) About 60,000 K.W.

(c) Not likely, Sir.

(d) Rupees three lakhs on the investigation.

SRI R. PONNAPPA NADAR : Is there any difference of opinion between the Irrigation Department and the Electricity Department regarding the investigation?

THE HON. SRI R. VENKATARAMAN : There is no such difference of opinion. The Government is one.

SRI M. WILLIAM : Is it a State-sponsored scheme or a Central scheme?